

**Schoodic Lake Association
Water level record**

| Date | Gage Reading at Dam/Bolt | Gate 1 | Gate 2 | Gate 3 | Amount of Rain | Operator Initials | Comments |
|-------------|---------------------------------|---------------|---------------|---------------|-----------------------|--------------------------|----------------------------|
| 5/2/2016 | 6' ½" | 4" | 4" | 0" | | PH | |
| 5/4/2016 | 6' 1" | 4" | 4" | 0" | ½" | PH | |
| 5/7/2016 | 6' 1½" | 4" | 4" | 0" | ½" | PH | ½" rain 5/5 |
| 5/16/2016 | 6' 1½" | 4" | 4" | 0" | | PH | |
| 5/13/2016 | 6' 2" | 4" | 4" | 0" | | PH | ½" rain 5/12 |
| 5/14/2016 | 6' 2" | 4" | 4" | 0" | | PH | |
| 5/18/2016 | 6' 2½" | 4" | 4" | 0" | ½" | PH | ½" rain 5/17 |
| 5/20/2016 | 6' 2" | 4" | 4" | 0" | | PH | |
| 5/23/2016 | 6' 1½" | 4" | 4" | 0" | | PH | |
| 5/27/2016 | 6' 2" | 4" | 4" | 0" | ½" | PH | |
| 5/31/2016 | 6' 2" | 16" | 4" | 0" | | PH | ½" rain 5/29 |
| 6/2/2016 | 6' 1½" | 16" | 4" | 0" | | PH | |
| 6/3/2016 | 6' ½" | 3" | 4" | 0" | | PH | |
| 6/6/2016 | 6' 2" | 2" | 3" | 0" | 1½" | PH | |
| 6/9/2016 | ? | 6" | 3" | 0" | ¾" | PH | Unable to read - too rough |
| 6/11/2016 | 6' ½" | 6" | 3" | 0" | | PH | |
| 6/13/2016 | 6' ½" | 3" | 3" | 0" | ¼" | PH | |
| 6/18/2016 | 6' 0" | 3" | 3" | 0" | | PH | high wind 4 days |
| 6/20/2016 | 6' 0" | 0" | 0" | 0" | | PH | closed both gates |
| 6/23/2016 | 6' 1/2" | 0" | 0" | 0" | ½" | PH | ½" rain 6/22 |
| 7/4/2016 | 6' 0" | 0" | 0" | 0" | | PH | |

| | | | | | | | |
|------------|---------|----|----|----|-----|---------|------------------------------------|
| 7/6/2016 | 6' ½" | 0" | 0" | 0" | ¾" | PH | |
| 7/8/2016 | 6' ½" | 0" | 0" | 0" | | PH | |
| 7/18/2016 | 7' 1" | 0" | 0" | 0" | ½" | PH | 1" rain week of 7/9 - 7/16 |
| 7/21/2016 | 6' ½" | 0" | 0" | 0" | | PH | |
| 7/27/2016 | 5' 11½" | 0" | 0" | 0" | | PH | no rain 10 days / very hot & sunny |
| 8/1/2016 | 5' 11½" | 0 | 0 | 0 | 0 | PH | Warm & dry |
| 8/4/2016 | 5' 11" | 0 | 0 | 0 | 0 | PH | Warm & dry |
| 8/10/2016 | 5' 10½" | 0 | 0 | 0 | 0 | PH | |
| 8/15/2016 | 5' 11" | 0 | 0 | 0 | 1¼" | PH | |
| 8/18/2016 | 5' 10" | 0 | 0 | 0 | 0 | PH | |
| 8/22/2016 | 5' 9½" | 0 | 0 | 0 | 0 | PH | |
| 8/23/2016 | 5' 10½" | 0 | 0 | 0 | 1½" | PH | |
| 8/31/2016 | 5' 10" | 0 | 0 | 0 | ½" | PH | |
| 9/4/2016 | 5' 9½" | 0 | 0 | 0 | 0 | PH | |
| 9/10/2016 | 5' 9" | 0 | 0 | 0 | 0 | PH | |
| 9/13/2016 | 5' 8½" | 0 | 0 | 0 | ½" | PH | |
| 9/17/2016 | 5' 8" | 0 | 0 | 0 | 0 | PH | |
| 9/22/2016 | 5' 7½" | 1' | 1' | 0 | 0 | PH & FT | |
| 10/1/2016 | 5' 2" | 1' | 1' | 0 | 0 | PH | |
| 10/6/2016 | 4' 11½" | 1' | 1' | 0 | 0 | PH | |
| 10/8/2016 | 4' 10" | 1' | 1' | 0 | 0 | PH | |
| 10/11/2016 | 4' 8" | 1' | 1' | 0 | 0 | PH | |
| 10/16/2016 | 4' 5" | 0 | 0 | 0 | 0 | PH | |
| 10/22/2016 | | 0 | 0 | 0 | 0 | PH | too rough to measure |

| | | | | | | | |
|------------|---------|-----|-----|--------------|----|---------|------------------------|
| 10/29/2016 | | 0 | 0 | 2 boards out | 1" | PH & FT | too rough to measure |
| 11/1/2016 | 4' 7" | 0 | 0 | 2 boards out | 2" | PH | |
| 11/15/2016 | 4' 9" | 0 | 0 | 2 boards out | ½" | PH | |
| 11/24/2016 | 4' 9" | 0 | 0 | 2 boards out | 0 | PH | |
| 12/13/2016 | 5' 1" | 0 | 0 | 2 boards out | 0 | PH | |
| 1/3/2017 | 5' 2" | 0 | 0 | 2 boards out | 0 | PH | |
| 3/26/2017 | 6' 1" | 18" | 0 | 2 boards out | 0 | PH | |
| 4/1/2017 | 6' 0" | 18" | 0 | 2 boards out | | PH | |
| 4/4/2017 | 6' 0" | 24" | 0 | 2 boards out | | PH | |
| 4/7/2017 | 5' 11" | 24" | 0 | 2 boards out | | PH | |
| 4/10/2017 | 6' 0" | 24" | 12" | 2 boards out | | PH & FT | |
| 4/14/2017 | 6' 1" | 39" | 12" | 2 boards out | | FT | |
| 4/20/2017 | 6' 3" | 39" | 12" | 2 boards out | | PH | |
| 4/23/2017 | 6' 2" | 39" | 12" | 2 boards out | | PH | |
| 4/25/2017 | 6' 1/2" | 39" | 12" | 2 boards out | | PH | |
| 4/28/2017 | 6' ½" | 12" | 24" | 0 | | PH & FT | Put 2 boards in gate 3 |
| 5/2/2017 | 6' ½" | 12" | 24" | 0 | 1" | PH | |
| 5/5/2017 | 5' 11½" | 12" | 24" | 0 | | PH | |

| | | | | | | | |
|-----------|--------|-----|-----|---|-----|----|--------------------|
| 5/7/2017 | 6' 0" | 12" | 24" | 0 | 1" | PH | |
| 5/10/2017 | 6' 0" | 12" | 24" | 0 | ¾" | PH | |
| 5/13/2017 | 5' 10" | 0 | 12" | 0 | ¼" | PH | |
| 5/17/2017 | 6' 0" | 0 | 12" | 0 | 1½" | PH | |
| 5/24/2017 | 5' 11" | 0 | 0 | 0 | ¼" | PH | |
| 5/28/2017 | 6' 1" | 0 | 0 | 0 | 1½" | PH | |
| 6/5/2017 | 6' 2" | 0 | 0 | 0 | ½" | PH | |
| 6/6/2017 | 6' 2½" | 15" | 3" | 0 | ¾" | PH | |
| 6/9/2017 | 6' 1½" | 15" | 3" | 0 | ¼" | PH | |
| 6/11/2017 | 6' 1" | 0 | 0 | 0 | | PH | Closed gates 1 & 2 |
| 6/15/2017 | 6' 1" | 0 | 0 | 0 | | PH | |
| 6/19/2017 | 6' 1" | 0 | 0 | 0 | ¼" | PH | |
| 6/20/2017 | 6' 2" | 0 | 0 | 0 | 1" | PH | |
| 6/21/2017 | 6' 2" | 18" | 0 | 0 | | PH | opened gate 1 18" |
| 6/24/2017 | 6' 2" | 18" | 0 | 0 | ½" | PH | |
| 6/25/2017 | 6' 1½" | 18" | 0 | 0 | | PH | |
| 6/27/2017 | 6' ½" | 18" | 0 | 0 | | PH | |
| 6/29/2017 | 6' 1" | 18" | 0 | 0 | 1" | PH | |
| 7/2/2017 | 6' 1" | 0 | 0 | 0 | ½" | PH | |